# ANNUAL REPORT OF THE MALAYSIAN ADVERSE DRUG REACTIONS ADVISORY COMMITTEE 2004

#### 1. MADRAC MEMBERS

Members of the Malaysian Adverse Drug Reactions Advisory Committee (MADRAC) were as follows:

#### **MADRAC Members/(Alternate members)**

Y. Bhg Datin Hjh. Hasiah Abdulah Director of National Pharmaceutical Control Bureau. Ministry of Health Malaysia **Chairperson** 

Dato Dr Hj Abdul Aziz b Abdullah/(Dr. Sarfraz Manzoor Hussain) Consultant Psychiatrist, Hospital Kuala Lumpur

**Committee Member** 

Puan Sri Dr Suraiya H. Hussein/(Dr. Gangaram Hemandas) Consultant Dematologist, Hospital Kuala Lumpur

**Committee Member** 

Tan Sri Dato Dr R. P. Lingam
Representative of the Malaysian Medical Association.

**Committee Member** 

Prof C.T. Chua

Consultant Nephrologist, Medical Faculty, University Malaya.

**Committee Member** 

Prof Madya Dr Rahmat b Awang/(Dr. Abdul Fatah Hj. Abdul Rahman) National Poisons Centre, Universiti Sains Malaysia.

**Committee Member** 

Prof. Dr. Nik Aziz b Sulaiman/(Prof. Dr. Ima Nirvana Soelaiman) Clinical Pharmacologist Medical Faculty, Universiti Kebangsaan Malaysia.

**Committee Member** 

Dr G.R. Letchuman Ramanathan/(Dr. Patmini Menon) Consultant Physician, Hospital Ipoh.

**Committee Member** 

Dr. S Ganeshnathan Consultant Physician, Hospital Kuala Lumpur. **Committee Member** 

Dr. Mardziah Alias/(Dr. Norzila Mohamed Zainudin) Consultant Paediatrician, Hospital Kuala Lumpur

**Committee Member** 

Pn Hasnah Ismail / (Pn. Rosminah Mohd. Din) Head of Assistant Director, Pharmaceutical Services Division, Ministry of Health. Committee Member

Pn Eishah Binti A. Rahman Secretary, Drug Control Authority, Ministry of Health Committee Member

#### 2. MEETINGS

The committee met six times over the year and a total of 1500 adverse drug reaction reports were reviewed.

Meeting	77	78	79	80	81	82
_	01/04	03/04	05/04	07/04	09/04	12/04
No of Reports	173	169	284	255	280	339

#### 3. ANALYSIS OF ADR REPORTS

A detailed review and analysis of the ADR reports received during the year 2004 was conducted (Ref: Appendix 1)

### 4. REGULATORY ACTIONS

4.1 During the course of the year, the following recommendations were proposed by MADRAC and accepted by the Drug Control Authority (DCA):

	PRODUCTS	REGULATORY ACTIONS IMPLEMENTED	DCA
			MEETING
1.	Cisapride	<ul> <li>i. To cancel the registration of products containing Cisapride.</li> <li>ii. Allow exemption to supply on a named patient basis products containing cisapride that were previously registered by the the DCA</li> <li>iii. Giving 6 month period of time from the date of DCA approval for the product holder to withdraw all the product that already registered and marketed in Malaysia.</li> </ul>	DCA 156
		i) To cancel the registration of all products containing <i>Comfrey</i> and <i>Senecio spp</i> as both of these herbs contain unsaturated pyrrolizidine alkaloids (PA) which are considered to be hepatotoxicity and hepatocarcinogens.	DCA 156
2.	Comfrey and Senecio spp	ii. Grant a 6-month grace period for the product registration holders to withdraw all the products that have already been registered from the Malaysian market	
3.	Terfenadine	i. Cancel the registration of all products containing terfenadine in view of the association of cardiac adverse events arisisng from the use of terfenadine  ii) Grant a 6-month grace period for the product registration holders to withdraw all the products that have already been registered from the Malaysian market	DCA 158
4.	Nimesulide	In view of the findings of the review of nimesulde by the European Medicines Evaluation Agency, it was	DCA 159

		recommended that	
		The earlier suspension on the registration on products containing nimesulide be withdrawn with the condition that dosage is limited to a maximum of 100mg twice a day.	
		ii) The indication for oral products be restricted for:	
		<ul> <li>Treatment of acute pain</li> <li>Symptomatic treatment of painful osteoarthritis.</li> <li>Primary dysmenorrhea.</li> </ul>	
		iii) All product registration holders notify health care professional on the restriction on indications, new maximum dose and contraindications in order to minimize the risk of hepatotoxicity.	
5.	Atypical Antipyschotic Agent	To add a warning pertaining to the potential hyperglycemic effect ssociated with the use of Atypical Antipyschotic Agents:	DCA 160
		<ul> <li>a. Clozapine</li> <li>b. Olanzepine</li> <li>c. Risperidone</li> <li>d. Quetiapine</li> <li>e. Ziprasidone</li> <li>f. Aripiprazole</li> </ul>	
		The warning that DCA agreed to put in the package insert are :	
		WARNINGS Hyperglycemia and Diabetes Mellitus	
		Hyperglycemia, in some cases extreme and associated with ketoacidosis or hyperosmolar coma or death, has been reported in patients treated with atypical antipsychotics. Assessment of the relationship between atypical antipsychotic use and glucose abnormalities is complicated by the possibility of an increased background risk of diabetes mellitus in patients with schizophrenia and the increasing incidence of diabetes mellitus in the general population. Given these confounders, the relationship between atypical antipsychotic use and hyperglycemia-related adverse events is not completely understood. However, epidemiological studies suggest an increased risk of treatment-emergent hyperglycemia-related adverse events in patients treated with the atypical antipsychotics. Precise risk estimates for hyperglycemia-related adverse events in patients treated with atypical	

		antipsychotics are not available.	
		Patients with an established diagnosis of diabetes mellitus who are started on atypical antipsychotics should be monitored regularly for worsening of glucose control. Patients with risk factors for diabetes mellitus (e.g., obesity, family history of diabetes) who are starting treatment with atypical antipsychotics should undergo fasting blood glucose testing at the beginning of treatment and periodically during treatment. Any patient treated with atypical antipsychotics should be monitored for symptoms of hyperglycemia including polydipsia, polyuria, polyphagia, and weakness. Patients who develop symptoms of hyperglycemia during treatment with atypical antipsychotics should undergo fasting blood glucose testing. In some cases, hyperglycemia has resolved when the atypical antipsychotic was discontinued; however, some patients required continuation of anti-diabetic treatment despite discontinuation of the suspect drug.	
6	Antidepressants	The inclusion of the following warning statement in the product inserts of all products indiacted for the treatment of depression:	DCA 165
		Suicidality in Children and Adolescents	
		<ul> <li>Antidepressants increase the risk of suicidal thinking and behavior (suicidality) in children and adolescents with major depressive disorder (MDD) and other psychiatric disorders.</li> <li>Anyone considering the use of an antidepressant in a child or adolescent for any clinical use must balance the risk of increased suicidality with the clinical need.</li> <li>Patients who are started on therapy should be observed closely for clinical worsening, suicidality, or unusual changes in behavior.</li> <li>Families and caregivers should be advised to closely observe the patient and to communicate with the prescriber.</li> <li>A statement regarding whether the particular drug is approved for any pediatric indication(s) and, if so, which one(s).</li> </ul>	

4.2 Review of Periodic Safety Update Reports (PSURs)
Over the year, the Periodic Safety Update Reports (PSURs) submitted by the industry for the New Chemical Entities registered by the DCA were reviewed and where necessary, the product registration holders were instructed to update the package inserts to reflect new safety data and findings.

#### 5. ACTIVITIES

MADRAC members conducted several talks over the year in an effort to promote ADR reporting as well as to update health professionals on issues related to drug safety

NO.	TITLE OF PRESENTATION	FORUM	PLACE & TIME
1	Factors for Success in	11 <sup>th</sup> ICDRA, Madrid,	19 Feb 2004
	Pharmacovigilance	Spain (under the auspices of WHO	Madrid, Spain
2	Safety Surveillance of Cosmetics	Seminar organised by CTFA & BPFK (for the	Mar 2004
0	M :: : 0 ( : 0 ( D) : :	• /	Petaling Jaya
3	Monitoring Safety Of Dietary Supplements	Seminar organised by the Direct Selling Association of Malaysia	29 Mar 2004 Petaling Jaya
4	ADR Monitoring: Getting the Facts Right	Seminar for Hospital Pharmacists on Erythropoeitin	17 April 2004 Kota Kinabalu Sabah
5	Peranan Kakitangan Sokongan dalam Pemonitoran ADR	PTK4 Kumpulan Sokongan, KKM	23 Apr 2004
6	ADR Monitoring – CME session	Hospital Seremban	Bangsar, KL 24 Apr 2004
7	ADR Monitoiring – Civil session  ADR Monitoiring – Pre & Post	19 <sup>th</sup> Scientific Meeting	18 May 2004,
/	Registration	of the Malayisan Society of Pharmacology and Physiology	UMMC, KL
8	Food Supplements – Do we really need them?	Forum organised by Family Health Division, MOH	13 July 2004, KL
9	Studies on Adverse Drug Reactions to Traditional Medicines	Seminar R& D Farmasi	7 September 2004, Sepang
10	Pharmacovigilance Planning: Impact on Non-ICH Countries	International Society	7 October 2004, Dublin, Ireland
11	Monitoring of Adverse Drug Reactions	Continuous Education	9 October 2004, Kuantan, Pahang
12	Monitoring of Adverse Drug Reactions		27 November 2004, Taiping Perak
13	Training Session for Hospital Pharmacists (Perak) in Monitoring ADRs	Hospital Taiping	27 November 2004, Taiping Perak
14	Adverse Drug Reaction Monitoring	Pilah .	3 December 2004, Kuala Pilah Negeri Sembilan.
15	Farmakovigilans: Tanggungjawab Professional Ahli Farmasi	Seminar untuk Pegawai Farmasi U48	8 December 2004, Kuantan
16	Monitoring of Adverse Drug Reactions  – CME session		11 December 2004
			Kangar, Perlis


6. WORLD HEALTH ORGANISATION
1454 ADR reports reviewed by MADRAC were submitted to the International Centre for DRUG Monitoring (WHO) in Upssala, Sweden.


### ANALYSIS OF ADR REPORTS RECEIVED WITH FATAL OUTCOME

Drug	ADR	Assesment
Allopurinol	Toxic Epidermal Necrolysis	Died – drug may be
		contributory
	( 2 cases)	
Zithromax	- Anaphylactic reaction	Died – drug may be contributory
	- Heart block	
	- Hypotension	
	- Bradycardia	
Rofecoxib	- Heart attack	Died – drug may be
		contributory
Valdecoxib	- Myocardial Infarction	Died – drug may be contributory
	- Dyspnea	
	- Malaena	
Indomethacin	- Renal function abnormal	Died – drug may be contributory
Diclofenac	- Anaphylactic reaction	Died – drug may be
		contributory
Phentermine	- Tachycardia ventricular	Died – drug may be contributory
Lamotrigine	- Hepatorenal failure	Died – drug may be contributory
	- Fever	,
	- Jaundice	
	- Rash erythematous	
	- Somnolence	
Gentamicin	- Renal failure acute	Died – drug may be
		contributory
	- Renal impairment	
	- Fever	
Losartan / Hydrochlorothiazide	- Oedema dependent	Died – drug may be contributory
	- Hyponatremia	,
Amlodipine	- Jaundice	Died – drug may be
·		contributory
Ticlopidine	- Pharyngitis	Died – drug may be contributory
	- Neutropenia	
	- Sepsis	
	- Liver Failure	

	- Renal function abnormal	
	- Leucopenia	
	- Nausea	
	- Vomiting	
Timolol (Blocadren Tablet)	- Anaphylactoid reaction	Died – drug may be contributory
Gadopentetate Dimeglumine	- Renal failure chronic	Died – drug may be contributory
Mefenamic Acid	- Epidermal Necrolysis	Died – drug may be contributory
Lamivudine	- Hepatitis	Died – drug may be contributory
	( 2 cases )	
Fluconazole	- Medicine ineffective	Died – drug may be contributory
Fondaparinux ( Arixtra )	- Dyspnoea	Died – drug may be contributory
Imatinib	- Paraplegia	Died – drug may be contributory
Win – EPA Capsule (Fish Body Oil)	- Acute liver failure	Died – due to adverse drug reaction
Methylenedioxy - methamphetamine	- Anaphylactoid reaction	Died – due to adverse drug reaction

### **APPENDIX 1**





# **TOP TEN REPORTERS (DOCTORS) – 2004**

Name	Hospital / Institution	No. of Reports
Dr. Dawn Angela	Hosp. Kuala Lumpur	22
Dr. Ng Tin Guan	Hosp. Kuala Lumpur	22
Dr. Riza Hartini	Hosp. Selayang	18
Dr. Bavani Poobalan	Hosp. Selayang	17
Dr. Zainah Mokhtar	Hosp. Queen Elizabeth	11
Dr. Nik Raziha	Hosp. Tengku Ampuan Afzan	10
Dr. Gowri Sundram	Hosp. Kuala Lumpur	9
Dr. Essazul Imran	Hosp. Labuan	8
Dr. Chang San Kong		8
Dr. Qym Ho HK	Gleneagles Specialist Hosp.	8

# TOP TEN REPORTERS (PHARMACIST) – 2004

Name	Hospital / Institution	No. of Reports
Yoong Yuen sian	Hosp. Sultanah Aminah	22
Lau Chee Lan	Hosp. UKM	14
Shahnaz Bishahrin	Klinik Kesihatan Ampangan	12
Malathi Sri Raman	Klinik Kesihatan Bandar Baling	11
Pau Kiew Beng	UMMC	10
Shairyzah Ahmad Hisham	Hosp. UKM	6
Syarifah Jamaluddin	K.K. Kuala Terengganu	5
Salmi Abdul Razak	Poliklinik Komuniti Tanglin	4
Nurul Izzati	Hosp. Putrajaya	
Martina Hu Siew Meng	Hosp. Umum Sarawak	4

## NUMBER OF REPORTS BY CATEGORY OF CAUSALITY, 2004 (1388)

	N	%
Number of valid reports received	1665	100
Number of reports with causality assessed as:		
Certain	202	12.1
Probable	182	10.9
Possible	941	56.5
Unlikely	17	1
Unclassifiable	46	2.8

