

TINALITE SOLUTION

Tolnaftate (1% w/v)

What is in this leaflet

1. What Tinalite is used for
2. How Tinalite works
3. Before you use Tinalite
4. How to use Tinalite
5. While you are using Tinalite
6. Side effects
7. Storage and Disposal of Tinalite
8. Product description
9. Manufacturer and Product Registration holder
10. Date of revision

What Tinalite is used for

For the treatment of fungal infections of the skin (scalp, body, groin, foot), athlete's foot and tinea versicolor.

How Tinalite works

Tolnaftate is an antifungal that stops the growth of fungus that causes infections.

Before you use Tinalite

- When you must not use it

- allergic to tolinaftate or other ingredients of the product.

- Before you start to use it

Inform the doctor if pregnant or breast-feeding.

- Taking other medicines

The medicine is for topical application, usually will have minimal effect on other medications. However, please inform the doctor or pharmacist if taking other medicines.

How to use Tinalite

- How much to use

Apply to the skin two times daily.

- When to use it

Please follow the advice of the doctor or pharmacist.

- How long to use it

You should check with your doctor or pharmacist.

- If you forget to use it

If forget to use this medicine, use it as soon as remember. Then next, use this medicine at the usual time.

- If you use too much (overdose)

If used too much Tinalite, contact your doctor, an emergency department or a poisoning center immediately.

While you are using Tinalite

- Things you must do

Check with the physician if condition does not improve or if it becomes worse. Inform doctor of medications taking.

- Things you must not do

Do not stop using medication although feeling better after a few days, until the prescribed course is finished.

- Things to be careful of

Treatment should be discontinued if severe irritation or allergy develops. If pregnant or become pregnant or breast-feeding during treatment, should not use Tinalite unless doctor advised.

Side effects

No reported adverse effects caused by Tinalite, other than occasional skin irritation at site. However, it may cause sensitivity and irritation in some patients. If any of the side effects become serious or any other side effects not listed in this leaflet, please inform the doctor or pharmacist.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

Storage and Disposal of Tinalite

- Storage

Store in cool, dry place below 30°C. Protect from light. Keep out of reach of children.

- Disposal

Ask your pharmacist how to dispose of medicines no longer required.

Product description

- What it looks like

Colourless solution.

- Ingredients:

- Active ingredient: tolinaftate
- Inactive ingredients: butyl hydroxytoluene, isopropyl alcohol, propylene glycol, macrogol and deionised water.

- MAL number:

MAL19912086X

Manufacturer and Product Registration holder

Prime Pharmaceutical Sdn. Bhd.
1505, Lorong Perusahaan Utama 1
Taman Perindustrian Bukit Tengah
14000 Bukit Mertajam, Penang, Malaysia.

Date of revision

24/05/2017

Serial number

BPFK(R4/1)12052017/00104