

PROZYME TABLET

Papain (equivalent to 150,000 USP unit)

What is in this leaflet

1. What Prozyme Tablet is used for
2. How Prozyme Tablet works
3. Before you use Prozyme Tablet
4. How to use Prozyme Tablet
5. While you are using it
6. Side effects
7. Storage and Disposal of Prozyme Tablet
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of Revision

What Prozyme Tablet is used for

Prozyme Tablet is used for swelling and inflammatory conditions.

How Prozyme Tablet works

Prozyme Tablet contains the active ingredients papain which works by reducing swelling at the inflammatory site.

Before you use Prozyme Tablet

-When you must not use it

Do not use Prozyme Tablet if:

- You have known allergies to papain or any of the other ingredients used in this medicine.
- You have blood coagulation problems.

If you are not sure whether you should start using this medicine, talk to your doctor or pharmacist.

-Before you start to use it

Tell your doctor if:

- You are pregnant or breast-feeding.

-Taking other medicines

Tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription. Your doctor may need to change the dose of the other medications or take other precautions. In some cases, you may have to stop taking one of the medicines. This applies especially to the medicines listed below taken at the same time with Prozyme Tablet:

- Anticoagulant medicine

How to use Prozyme Tablet

-How much to use

2 tablets to be sucked or chewed 4 times daily for the first day, then 1 tablet 4 times daily for at least 5 days.

You should check with your doctor or pharmacist if you are not sure.

-When to use it

Please follow the advice of your doctor or pharmacist.

-How long to use it

Consult with your doctor or pharmacist for the treatment period.

-If you forget to use it

If you forget to take a dose, take it as soon as you remember. However, if it is almost time for your next dose, wait until the usual time to take your medicine. Do not double your dose to make up for forgotten doses.

-If you use too much (overdose)

If you accidentally take too many tablets, contact your doctor, pharmacist, or your nearest hospital emergency department immediately. You might need urgent medical attention.

While you are using it

-Things you must do

- Use the medicine exactly as your doctor instructed.
- Tell all the doctors, dentists and pharmacists treating you that you are taking Prozyme Tablet.

-Things you must not do

- Do not give Prozyme Tablet to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

- Use Prozyme Tablet with caution during pregnancy.

Side effects

Like all medicines, Prozyme Tablet can cause side effects, although not everybody gets them. You are advised to consult doctor/ pharmacist for further information. The following side effects have been reported:

- Hives
- Dizziness
- Nausea

- Vomiting
- Diarrhea

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel:03-78835549 or visiting the website npra.moh.gov.my (Consumer Reporting Side Effects to Medicines (ConSERF) of Vaccines (AEFI))

Storage and Disposal of Prozyme Tablet

-Storage:

Keep container tightly closed. Store in a dry place below 25°C. Protect from light.

-Disposal:

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose the medicines you no longer required. These measures will help to protect the environment.

Product Description

-What it looks like

A round, flat face, bevel edged green coloured tablet, with a breaking line on one side, 7.9mm in diameter and with peppermint flavor.

-Ingredients

Active ingredient (s):

Papain.

Inactive ingredients:

Corn starch, colouring agents, gelatin, lactose, colloidal silicon dioxide, magnesium stearate, sodium saccharin and peppermint oil (flavouring).

-MAL No.:

MAL19910323X

Manufacturer and Product Registration Holder

Royce Pharma Manufacturing Sdn. Bhd.
PT 1663, Nilai Industrial Estate, 71800 Nilai, Negeri Sembilan, Malaysia.

Date of Revision

21/06/2018

Serial Number

NPRA(R4/1)180518/00160