

SUN-GLIZIDE TABLET

Each tablet contains: Gliclazide 80mg

What is in this leaflet:

1. What Sun-Glizide Tablet is used for
2. How Sun-Glizide Tablet works
3. Before you use Sun-Glizide Tablet
4. How to take Sun-Glizide Tablet
5. While you are using Sun-Glizide Tablet
6. Side effects
7. After using Sun-Glizide Tablet
8. Product Description
9. Manufacturer

What Sun-Glizide Tablet is used for

Sun-Glizide Tablet is used for the treatment of non-insulin dependent diabetes mellitus.

How Sun-Glizide Tablet Works

The active ingredient in the medicine is 'Gliclazide'. This belongs to a group of medicines called 'sulphonylurea'. It stimulates secretion of insulin by functioning beta islet cells, restoring the early phase insulin secretion, resulting in a physiological release of insulin.

Before you use Sun-Glizide Tablet

When you must not take it

- If you are allergic to Gliclazide or any other ingredients in the product
- If you have insulin-dependent diabetes mellitus
- If you have coma and precoma diabetes
- If you have kidney disease
- If you have liver disease
- If you have severe trauma or infections
- If you have diabetic ketosis or acidosis
- If you are pregnancy or lactating

Before you start to take it

You should check with your doctor:-

- If you are or think you may be pregnant
- If you are planning to become pregnant
- If you are breastfeeding
- If you plan to undergo surgery
- If you have kidney disease

Taking Other Medicines

There are a few medicines which may not mix with Sun-Glizide Tablet. It is important to tell your doctor or pharmacist about all the medicines that you are taking, including those obtained without doctor's prescription. You should talk to your doctor or pharmacist if you are on the following:-

- Beta blockers
- Antibiotics
- Thiazide diuretics
- Adrenaline
- Corticosteroids
- Estrogens/oral contraceptives
- Pain killers
- Anticoagulants
- Thyroid hormone products
- Ulcer healing drugs

How to take Sun-Glizide Tablet

How much to Take

You should take Sun-Glizide Tablet exactly as advised by your doctor or pharmacist. The amount you take each day will depend on your condition. Do not take more or less than what your doctor prescribes.

The usual initial dose for adults is 40 to 80mg daily, gradually increased to maximum 320mg daily if required.

A single dose should not exceed 160mg. Higher doses require twice-daily split dosing.

When to take

Sun-Glizide Tablet is to be taken immediately before meals. Swallow the tablets with some water

How long to take it

It is important to take Sun-Glizide Tablet as long as your doctor prescribes.

If you forget to take it

Do not take extra tablets to make up for a missed dose. Just take your next dose at usual the time.

If you take too much (overdose)

If you take too many tablets by mistake, contact your doctor immediately or seek medical attention.

While you are using Sun-Glizide Tablet

Things you must do

Take Sun-Glizide Tablet exactly the way as prescribed.

Things you must not do

Do not share your medicines with others even if they have the same diagnosis as you

Things to be careful of

If you experience any side effects, consult your doctor or pharmacist for advice

Side Effects

The common side effects are gastro-intestinal disturbances and hypoglycemia.

Symptoms of hypoglycemia include sweating, intense hunger, general weakness and if severe, confusion and coma.

Occasional side effects are skin rashes and intolerance to alcohol.

After using Sun-Glizide Tablet

Storage

Store at temperature 25°C. Protect from light.

Disposal

If you have any unwanted tablets, do not put them in waste water or household rubbish. Ask your pharmacist how to dispose of the tablets.

Product Description

What it looks like

Round, flat, white, plain tablet with single score on one side only.

Ingredients

Each tablet contains Gliclazide 80mg as active ingredient.

Market Authorization Holder

Sunward Pharmaceutical Sdn. Bhd.

Date of Revision

16 August 2011

Other non-active ingredients are:
Magnesium stearate, maize starch, lactose.

Product Registration Number

MAL20013374A

Manufacturer

Sunward Pharmaceutical Sdn. Bhd.
9&11, Jalan Kempas 4,
Taman Perindustrian Tampoi Indah,
81200 Johor Bahru, Johor, Malaysia.

Date of Revision
16 August 2011

Market Authorization Holder
Sunward Pharmaceutical Sdn. Bhd.

SUN-GLIZIDE TABLET

Setiap tablet mengandungi: Gliclazide 80mg

Kandungan

1. Kegunaan Sun-Glizide Tablet.
2. Cara Sun-Glizide Tablet berfungsi.
3. Perhatian sebelum mengambil Sun-Glizide Tablet.
4. Cara pengambilan Sun-Glizide Tablet.
5. Semasa pengambilan Sun-Glizide Tablet.
6. Kesan sampingan.
7. Selepas mengambil Sun-Glizide Tablet.
8. Gambaran produk.
9. Pengilang.

Kegunaan Sun-Glizide Tablet

Sun-Glizide Tablet digunakan untuk rawatan diabetes mellitus/ kencing manis yang tidak bergantung kepada pengambilan insulin.

Cara Sun-Glizide Tablet Berfungsi

Gliclazide tergolong dalam kumpulan 'sulphonylurea'. Ia merangsang penghasilan insulin oleh sel beta kelenjar pancreas.

Perhatian Sebelum Mengambil Sun-Glizide Tablet

Jangan ambil jika

- Anda alergi kepada Gliclazide atau bahan-bahan lain yang terkandung di dalam produk ini.
- Menghidapi penyakit kencing manis yang bergantung kepada pengambilan insulin.
- Mengalami diabetik ketoasidosis.
- Mengalami koma and prekoma diabetes.
- Menghidapi penyakit buah pinggang.
- Menghidapi masalah hati
- Mengalami trauma yang teruk atau jangkitan.
- Mengandung atau menyusu.

Sebelum mengambil

Dapatkan nasihat doktor jika anda:-

- Mengandung/ Disyaki mengandung.
- Merancang untuk mengandung.
- Menyusukan bayi.
- Akan menjalani pembedahan.
- Menghidapi penyakit buah pinggang.

Mengambil ubat lain

Terdapat beberapa jenis ubatan yang tidak digalakkan diambil bersama dengan Sun-Glizide Tablet. Anda harus memaklumkan doktor dan ahli farmasi anda mengenai ubatan yang sedang diambil termasuk ubatan yang dibeli di farmasi tanpa preskripsi doktor. Maklumkan doktor dan ahli farmasi jika anda sedang mengambil ubatan berikut:-

- Penyekat-beta
- Antibiotik
- Thiazide atau lain-lain diuretik
- Adrenaline
- Corticosteroid
- Estrogen/pil cegah hamil
- Ubat tahan sakit
- Antikoagulan
- Produk hormone tiroid
- Ubat rawatan ulser

Cara Mengambil Sun-Glizide Tablet

Arahan pengambilan

Ikut arahan doktor atau ahli farmasi anda. Jangan ambil lebih atau kurang daripada amauan yang disyorkan.

Dos permulaan biasa bagi dewasa adalah 40-80mg sehari. Boleh dinaikkan secara beransur-ansur sehingga maksima 320mg sehari. Dos maksima adalah 160mg per dos.

Waktu pengambilan

Sun-Glizide Tablet perlu diambil sejurus sebelum makan.

Jangka masa pengambilan

Ikut arahan yang telah ditetapkan oleh doktor atau ahli farmasi anda.

Jika terlupa mengambil

Jangan gandakan dos anda. Ambil dos seperti biasa bila tiba waktunya untuk dos seterusnya.

Jika terlebih dos

Hubungi doktor anda atau dapatkan bantuan kecemasan

Semasa Pengambilan Sun-Glizide Tablet

Perkara yang perlu dilakukan

Ambil Sun-Glizide Tablet mengikut arahan doktor.

Larangan

Jangan kongsi ubatan anda dengan orang lain walaupun mereka mengalami masalah yang sama.

Perhatian

Rujuk doktor atau ahli farmasi anda jika anda mengalami mana-mana kesan sampingan yang dinyatakan.

Kesan Sampingan

Kesan sampingan biasa adalah gangguan gastrointestinal dan hipoglisemia.

Simptom-simptom hipoglisemia termasuk berpeluh, kelaparan dan lemah badan. Jika teruk, kekeliruan dan koma.

Kesan sampingan yang jarang berlaku adalah ruam dan meningkatkan kesan alkohol.

Selepas Mengambil Sun-Glizide Tablet

Penyimpanan

Simpan pada suhu 25°C. Lindungi daripada cahaya.

Pelupusan

Jangan buang ubatan yang berlebihan secara sebarang. Dapatkan nasihat ahli farmasi anda mengenai cara-cara pelupusan ubatan.

Gambaran Produk

Rupa produk

Tablet bulat, rata, berwarna putih dan berskor pada satu bahagian.

Kandungan

Setiap tablet mengandungi Gliclazide 80mg sebagai bahan aktif.

Lain-lain kandungan bahan tidak aktif: Magnesium stearate, maize starch, laktosa.

Nombor Pendaftaran Produk

MAL20013374A

Date of Revision

16 August 2011

Market Authorization Holder

Sunward Pharmaceutical Sdn. Bhd.

Pengilang

Sunward Pharmaceutical Sdn. Bhd.
9&11, Jalan Kempas 4,
Taman Perindustrian Tampoi Indah,
81200 Johor Bahru, Johor, Malaysia.

Date of Revision
16 August 2011

Market Authorization Holder
Sunward Pharmaceutical Sdn. Bhd.