

ANVELIN SYRUP

Terbutaline sulphate (1.5mg/5ml)

What is in this leaflet

1. What is Anvelin Syrup used for
2. How Anvelin Syrup works
3. Before you use Anvelin Syrup
4. How to use Anvelin Syrup
5. While you are using Anvelin Syrup
6. Side effects
7. Storage and disposal of Anvelin Syrup
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What is Anvelin Syrup used for

It helps to relieve sudden constriction of the muscles in the walls of the airway, which causes difficulty in breathing for patients with asthma and for patients with inflammation of the mucous membranes of the bronchi (the airway that carry airflow to the lungs).

How Anvelin Syrup works

Terbutaline is a bronchodilator, it dilates the bronchi and decreases resistance in the airway, and increases the airflow to the lungs.

Before you use Anvelin Syrup

When you must not use it

Do not use Anvelin Syrup if you are allergic to any ingredients in this medicine.

Before you start to use it

Tell your doctor or pharmacist before using Anvelin Syrup if you:

- are pregnant or plan to get pregnant.
- are breast-feeding or plan to start breast-feeding.
- have an overactive thyroid glands (hyperthyroidism).
- have high blood pressure, heart or blood vessels disorders, irregular heartbeat
- have high blood sugar levels.

Taking other medicines

Tell your doctor or pharmacist if you are taking or have recently taken any other medicines. This includes any medicines which you have bought without a prescription.

B-blockers and propranolol may decrease the effects of terbutaline.

How to use Anvelin Syrup

How much to use.

- *Adults:* 10- 15ml, three times a day
- *Children:*
0.075mg (0.25ml)/ kg body weight
Three times a day.

When to use it

Follow the prescription from your doctor or pharmacist.

How long to use it

Follow the prescription from your doctor or pharmacist. Ask your doctor or pharmacist before prolonged use of this medicine.

If you forget to use it

Use it as soon as you remember, unless it is nearly time for your next dose, skip the missed dose. Then go on as before. Never double up on the next dose to make up for the one missed.

If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Symptoms of overdose include fast heartbeat, shaking movement and dilation of blood vessels.

While you are using Anvelin Syrup

Things you must do

- Tell all the doctors, dentists and pharmacists treating you that you are taking Anvelin Syrup.
- Tell your doctor immediately if you become pregnant while taking this medication.
- Always wash your hand before handling the medicine.
- Take the medicine at the same time each day.
- Sip and swallow the medicines slowly.

Things you must not do

- Do not take any new medicines without consulting your doctor.
- Do not give Anvelin Syrup to anyone else, even if they have the same symptoms or condition as you.
- Do not use this medicine by yourself without prescription from your doctor or pharmacist.

Things to be careful of

Be careful of driving or operating machinery until you know how Anvelin Syrup affects you.

Side effects

- Mild shaking (usually with the hands).

- Headache.
- Nervous.
- Blood vessels dilation.
- Fast heart beat.

Seek immediate medical attention if you experience any side effects or allergic reactions.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website portal.bpfk.gov.my (Consumers → Reporting)

Storage and disposal of Anvelin Syrup

Storage

Store below 30°C.

Keep out of the reach of the children.

Do not use this medicine after expiry date.

Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

How it looks like

Clear, colorless syrup with cola flavor.

Ingredients

Active ingredient
Terbutaline Sulphate

Inactive Ingredients

Sorbitol Solution, Cola Flavor, Saccharin Sodium, Citric Acid Anhydrous, Sodium Benzoate, Purified Water.

MAL number

MAL19910119A

Manufacturer and Product Registration Holder

Xepa-Soul Pattinson (Malaysia) Sdn Bhd
1-5 Cheng Industrial Estate,
75250 Melaka, Malaysia.

Date of Revision

20 August 2015

Serial Number

BPFK(R4/1)200815/00266