TERBRON SYRUP

Terbutaline Sulphate 1.5 mg/mL

What is in this leaflet

- 1. What TERBRON SYRUP is and what it is used for
- 2. Before you use TERBRON SYRUP
- 3. How to use TERBRON SYRUP
- 4. Possible side effects
- 5. How to store TERBRON SYRUP

What TERBRON SYRUP is used for 3 - 7 years

For the relief of bronchospasm in bronchial asthma and bronchitis.

How TERBRON SYRUP works

Terbutaline is a selective β_2 adrenoceptor agonists, thus
producing relaxation of bronchial
smooth muscle.

Before you use TERBRON SYRUP

When you must not take it

Do not take TERBRON SYRUP if:

- You are allergic (hypersensitive) to terbutaline sulphate or any of the other ingredients of TERBRON SYRUP and other sympathomimetic amines.
- You have thyrotoxicosis.

Before you start to take it

Check with your doctor or pharmacist before taking TERBRON SYRUP if:

- You are pregnant and you have had problems with your pregnancy.
- You are diabetic. If so, you may need some additional blood sugar tests when you start taking

TERBRON SYRUP.

- You have a history of heart disease, irregular heart rhythm or angina.
- You have an overactive thyroid gland.

Taking other medicines

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription. Especially:

Sympathomimetic agents,

beta-blockers, monoamine oxidase inhibitors and tricyclic antidepressants.

How to take TERBRON SYRUP

How much to take

Adults: 1 tablespoonful.

Children:

Below 3 years: ½ teaspoonful.

3 - 7 years : $\frac{1}{2} - 1$ teaspoonful.

7 - 15 years : 1-2 teaspoonfuls.

When to take it

Always take TERBRON SYRUP 2-3 times daily or as directed by your doctor.

How long to take it

Always take TERBRON SYRUP exactly as your doctor has told you. If you are not sure, check with your doctor or pharmacist.

If you forget to take it

If you forget to take a dose, take it as soon as you remember. However, if it is almost time for the next dose, wait until then and take the next dose as normal. Do not take a double dose to make up for a forgotten dose.

If you take too much (overdose)

In the event of an accidental overdose, contact your nearest hospital casualty department or tell your doctor immediately.

While you are using TERBRON SYRUP

Things you must do

Contact your doctor straight away it:

- Your breathing is getting worse.
- You often wake up at night with asthma.
- You start getting chest tightness.
- You are not getting relief from your current dose.

Things you must not do

Do not stop taking your medicine without first discussing it with your doctor.

Things to be careful of

If you are pregnant, planning to become pregnant or breast-feeding tell your doctor or pharmacist before taking this medicine.

Side effects

Increase in heart rate, changes in blood pressure, nervousness, tremor, palpitation, dizziness, headache, nausea, vomiting, anxiety, restlessness, lethargy, drowsiness, weakness, flushes, sweating, chest discomfort, muscle cramps and tinnitus.

After using TERBRON SYRUP

Storage

Store at temperature not exceeding 30°C, protect from light and excessive heat.

Disposal

3 years after manufacturing date.

Product description

What it looks like?

Clear, almost colorless, cherry-flavored solution.

Ingredients

Sodium citrate dihydrate, Citric acid monohydrate, Sucrose, Purified water, Methylparaben, Propylparaben, Sorbitol solution 70%, Cherry cider essence and Propylene glycol.

MAL NO: MAL19900433A

Manufacturer

BIOLAB CO., LTD.

625 Bangpoo Industrial Estate Samutprakarn, Thailand.

Marketing Authorisation Holder

MEDISPEC (M) SDN.BHD

Date of revision

November 16, 2011