

HUXLEY'S WINTOGENO EXTRA CREAM

Methyl Salicylate/menthol (15% w/w / 4% w/w)

What is in this leaflet

1. What Wintogeno is used for
2. How Wintogeno work
3. Before you use Wintogeno
4. How to use Wintogeno
5. While you are using Wintogeno
6. Side Effects
7. Storage and Disposal of Wintogeno
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of Revision

What Wintogeno is used for

Wintogeno Cream contains active ingredients menthol and methyl salicylate.

Wintogeno may be used for the symptomatic relief of:

- Muscular pain
- Stiffness
- Painful bruises
- Sprains

How Wintogeno work

Wintogeno cream is a topical analgesic. It works by temporarily relieving minor pain.

Before you use Wintogeno

-When you must not use it

- Do not use if you have hypersensitivity to salicylates or menthol or other ingredients.

-Before you start to use it

Some medical conditions may interact with methyl salicylate/menthol cream. Tell your doctor or pharmacist if you have any medical conditions, especially if any of the following apply to you:

- if you are pregnant, planning to become pregnant, or are breast-feeding
- if you are taking any prescription or nonprescription medicine, herbal preparation, or dietary supplement
- if you have allergies to medicines, foods, or other substances
- if you have had an allergic reaction to aspirin or other salicylates

- if you have a wound at the affected area or your skin is broken or damaged in any way

-Taking other medicines

For patients taking Warfarin, excessive application may increase the chances of bleeding.

Ask your health care provider if methyl salicylate/menthol cream may interact with other medicines that you take. Check with your health care provider before you start, stop, or change the dose of any medicine.

How to apply Wintogeno

-How much to use

A small amount of the Wintogeno cream should be massaged into the skin with the palm of the hand until the area is almost dry, using further amounts as necessary. The area should then preferably be covered with a piece of warm dry flannel.

-When to use it

Wintogeno Extra Cream may be applied 2-3 times daily.

-How long to use it

Use as long as directed by your doctor or pharmacist.

-If you forget to use it

If you miss a dose of methyl salicylate/menthol cream, use it as soon as you remember.

Continue to use it as directed by your doctor or on the package label.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Symptoms of overdose include dizziness, ringing sound, deafness, sweating, nausea and

vomiting, headache, and confusion may occur.

While you are using Wintogeno

-Things you must do

• This product is for external use only. If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor.

• Wash your hands immediately after using methyl salicylate/menthol cream.

-Things you must not do

• Do not apply to wounds or damaged skin.

• Do not apply over large areas of the body or bandage.

• Do not use during pregnancy or when breastfeeding.

-Things to be careful of

Ask your health care provider any questions you may have about how to use methyl salicylate/menthol cream.

Side Effects

Like all medicines, Wintogeno may cause side effects, although not everybody gets them.

Some side effects that may occur are:

- Skin irritation
- redness or swelling
- burning or stinging sensation.

Other side effects are rare, such as:

- symptom of dizziness
- nausea

Consult doctor or pharmacist for further information if you notice any side effects and they worry you.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal

HUXLEY'S WINTOGENO EXTRA CREAM

Methyl Salicylate/menthol (15% w/w / 4% w/w)

Problems / Side Effects / AEFI /
Vaccine Safety).

Serial Number:
NPRA(R4/1)170118/00016

Storage and Disposal of Wintogeno

-Storage

Keep all medicines out of the reach of children.
Store below 30°C.

-Disposal

Do not use this medicine after the expiry date stamped on the pack.

Return any unused medicine to your pharmacist to be disposed of. Only keep the cream if your doctor tells you to. Do not throw them away in your normal household drainage or waste. This will help to protect the environment.

Product Description

-What it looks like

Wintogeno cream is special, non-greasy and white to off-white cream.

-Ingredients

-Active Ingredient

Methyl salicylate 15% w/w,
Menthol 4% w/w

-Inactive ingredients

Methyl paraben, Propyl paraben, White Vaseline, Cetostearyl alcohol, Isopropyl Myristate, Cetomacrogol 1000, Nonivamide, Purified Water.

-MAL Number

MAL07021538X

Manufacturer

PT Actavis Indonesia
Jl. Raya Bogor Km 28
Jakarta 13710 Indonesia

Product Registration Holder

Actavis Sdn Bhd
Lot No. 8F-1B, 8th Floor,
Tower 4 @ PFCC, Jalan Puteri
1/2,
Bandar Puteri, 47100 Puchong,
Selangor Darul Ehsan, Malaysia

Date of Revision

19/01/2018