AXCEL ECOZALON CREAM

Econazole Nitrate /Triamcinolone Acetonide (1% w/w /0.1% w/w)

What is in this leaflet

- 1. What Axcel Ecozalon Cream is used for.
- 2. How Axcel Ecozalon Cream works.
- 3. Before you use Axcel Ecozalon Cream.
- 4. How to use Axcel Ecozalon Cream.
- 5. While you are using it.
- 6. Side effects.
- 7. Storage and disposal of Axcel Ecozalon Cream.
- 8. Product description.
- 9. Manufacturer and Product Registration Holder.
- 10. Date of revision.

What Axcel Ecozalon Cream is used for

Axcel Ecozalon Cream is used for:

- Treatment of eczema (itchy skin condition with redness, swelling, oozing of fluid, crusting which may lead to scaling)
- Inflammatory dermatoses (skin disorder) with mycotic (fungus) and/or bacterial infection
- Inflammatory dermatomycoses (superficial fungal infection of the skin) caused by dermatophytes (fungi), yeast and mould
- Mycotic infections in the body fold with the presence of bacterial secondary and mixed infections.
- Moist, oozing, acute or subacute dermatoses
- Paronychia (soft tissue infection around a fingernail or toenail)
- Perleche (cracking of the corners of the mouth)
- Diaper dermatitis (skin inflammation in the area covered by infant's diaper)
- Superficial pyoderma (bacterial skin infection)

How Axcel Ecozalon Cream works

Econazole belongs to the group of medicines called antifungals, which are used to treat infections caused by fungus. They work by killing the fungus or preventing its growth. Triamcinolone works by reduces the actions of chemicals in the body that cause inflammation, itching and allergic (e.g. redness and swelling).

Before you use Axcel Ecozalon Cream

When you must not use it

Do not use Axcel Ecozalon Cream if:

- You are allergic or hypersensitive to imidazole or corticosteroids.
- You have tuberculosis (bacterial infection that usually infects the lungs), syphilis (sexually transmitted disease caused by bacteria) or viral skin infection.

Before you start to use it

Tell your doctor if:

• You are pregnant or breastfeeding.

Taking other medicines

You should tell your doctor if you are taking other medications.

How to use Axcel Ecozalon Cream

How much to use

Apply sparingly in thin layers by smoothing gently into the affected area twice daily for 14 days. Discontinue the therapy once the skin has healed.

When to use it

Your doctor will decide when it is appropriate for you to use Axcel Ecozalon Cream according to the type of condition you have.

How long to use it

- Use this medicine as stated in the leaflet without exceeding the dosage.
- Follow any recommendations and advices from your doctor or pharmacist.

If you forget to use it

If you forget to use your cream at the right time, use it as soon as you remember, then carry on as before.

If you use too much (overdose)

You must inform your doctor immediately if you have used too much Axcel Ecozalon Cream. You may have a greater tendency to get proximal myopathy (symmetrical weakness of proximal upper and/or lower limbs) if you used too much of Axcel Ecozalon Cream.

While you are using it

Things you must do

- Discuss with your doctor or pharmacist the dos' and don'ts' while using this medicine.
- Tell your doctor if unexpectedly you need to take any other medicines.
- Use the Axcel Ecozalon Cream according to the recommended dosage.
- Tell your doctor or pharmacist if you experience any side effects that are not listed in this leaflet.

Things you must not do

 Do not use your medicine more than the suggested frequency in a day.

Things to be careful of

- Long- term and continuous use should be avoided in children or when occlusive dressing is applied.
- Avoid contact with eyes.

Side effects

Like all medicines, Axcel Ecozalon Cream can cause side effects although not everybody gets them. You are advised to consult doctor/ pharmacist for further information. The following side effects have been reported:

 Local irritation due to burning and itching sensation

Very rare side effects:

• Hypersensitivity reactions

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website portal.bpfk.gov.my (Consumers -> Reporting).

Storage and disposal of Axcel Ecozalon Cream

Storage

Keep Axcel Ecozalon Cream out of reach of children.

Store at temperature below 30°C. Keep container well closed and protect from light.

AXCEL ECOZALON CREAM

Econazole Nitrate /Triamcinolone Acetonide (1% w/w /0.1% w/w)

Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

What it looks like

Axcel Ecozalon Cream is white to off white coloured, water miscible cream.

Ingredients

Active Ingredient (s):
Econazole Nitrate and
Triamcinolone Acetonide

Inactive Ingredients:

Propylene Glycol, Methylparaben, Propylparaben, Sodium Dihydrogen Phosphate Anhydrous, Cetostearyl Alcohol, Liquid Paraffin, Cremophor A6, Cremophor A25 and Purified Water

MAL Number

MAL08091413A

Manufacturer and product registration holder

Kotra Pharma (M) Sdn Bhd No. 1, 2 & 3, Jalan TTC 12, Cheng Industrial Estate, 75250 Melaka, Malaysia.

Date of revision

06/07/2015

Serial Number

BPFK(R4/1)290415/00089