Weng Heng Tablet Paracetamol

Paracetamol BP (500mg)

What is in the leaflet

- 1. What Weng Heng Tablet Paracetamol 500mg is used for
- 2. How Weng Heng Tablet Paracetamol 500mg works
- 3. Before you use Weng Heng Tablet Paracetamol 500mg
- 4. How to take Weng Heng Tablet Paracetamol 500mg
- 5. While you are using it
- 6. Side Effects
- 7. Storage and Disposal of Weng Heng Tablet Paracetamol 500mg
- 8. Product Description
- 9. Manufacturer and Product Registration Holder
- 10. Date of revision

What Weng Heng Tablet Paracetamol 500mg is used for

Weng Heng Tablet Paracetamol 500mg is used for the relief of fever, headache and pain associated with common cold.

How Weng Heng Tablet Paracetamol 500mg works

Weng Heng Tablet Paracetamol 500mg contains Paracetamol which belongs to a group of medicines called analgesic and antipyretic that helps to ease pain and reduce fever. It is rapidly and completely absorbed following oral administration.

Before you use Weng Heng Tablet Paracetamol 500mg

- When you must not take it
Do not take this product if you are
allergic (hypersensitivity) to Paracetamol
or any other ingredients in this product.

- Before you start to use it

This medicine should be given with care to patients with impaired liver or kidney function and to patients taking other drugs that affect the liver.

- Taking other medicines

You should always check with your doctor if you are taking any of these medicines:

Drugs that induce liver microsomal enzymes, Metoclopramide, Probenecid, Cholestyramine and Anticoagulant (e.g. Warfarin).

How to take Weng Heng Tablet Paracetamol 500mg

- How much to take

Adults and children above 12 years old: Take 1 to 2 tablets every 4 hours. (Do not take more than 4 doses in 24 hours).

Children 7 to 12 years old: Take ½ to 1 tablet every 4 hours. (Do not take more than 4 doses in 24 hours).

- When to take it

May be taken with or without food.

- How long to take it

Take as directed by your doctor or pharmacist.

- If you forget to take it

If you forget to take Weng Heng Tablet Paracetamol 500mg, give it as soon as you remember. Never double up on the next dose to make up for the one missed.

- <u>If you take too much (overdose)</u>

Symptoms include vomiting, abdominal pain, hypotension and sweating. In case of overdose, prompt specific treatment is essential.

Call National Poison Centre (1800 888 099) or your doctor or go to the accident and emergency centre at your nearest hospital immediately.

While you are Weng Heng Tablet Paracetamol 500mg

- Things you must do

Do not exceed the recommended dosage and continual use should not exceed 5 days at a time (10 days for adult), without physician guidance.

If symptoms persist, please consult a doctor.

- Things you must not do

Do not take this product to treat any other conditions unless it has been prescribed by your doctor.

- Things to be careful of

This preparation contains Paracetamol. Do not take any other Paracetamol containing medicines at the same time.

Side Effects

Allergy alert: Paracetamol may cause severe skin reactions. Symptoms may include skin reddening, blisters or rash. These could be signs of a serious condition. If these reactions occur, stop use and seek medical assistance right away.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Side Effects to Medicines (ConSERF or Vaccines (AEFI)).

Storage and Disposal of Weng Heng Tablet Paracetamol 500mg

- <u>Storage</u>
- Store below 30°C.
- Protect from light.
- Keep container tightly closed.
- Keep out of reach of children.

- Disposal

Do not take this after the expiry date. An expiry date is printed on the label of the medicine.

Product Description

- How it looks like

Weng Heng Tablet Paracetamol 500mg is round with flat surface and white uncoated tablet with 'W' on one side and score on the other.

- Ingredients

Active Ingredients
Each tablet contains Paracetamol 500mg

Inactive Ingredients Gelatin, Colloidal Silicon Dioxide, Magnesium Stearate, Corn Starch

- <u>MAL Number:</u> MAL19930001XZ

Manufacturer and Product Registration

WINWA MEDICAL SDN. BHD. 1952, Lorong I.K.S. Bukit Minyak 3, Taman I.K.S. Bukit Minyak, 14000 Bukit Mertajam, Pulau Pinang, Malaysia.

Date of revision

25/4/2018

Serial Number: NPRA(R4/1)250418/00124

X.TWH-PIL.01