MICODERM HC OINTMENT

Miconazole Nitrate / Hydrocortisone Acetate (2%w/w / 1%w/w)

What is in the leaflet

- 1. What Micoderm HC Ointment is used for
- 2. How Micoderm HC Ointment works
- 3. Before you use Micoderm HC Ointment
- 4. How to use Micoderm HC Ointment
- 5. While you are using it
- 6. Side Effects
- 7. Storage and Disposal of Micoderm HC Ointment
- 8. Product Description
- 9. Manufacturer and Product Registration Holder
- 10. Date of revision

What Micoderm HC Ointment is used for

Micoderm HC Ointment is used to treat inflamed conditions of the skin such as eczema and dermatitis which may be caused by infection with certain fungi and bacteria. It can be used to treat conditions such as napkin rash and skin infection.

How Micoderm HC Ointment works

Miconazole is active against wide range of fungi and also has antibacterial activity against certain bacteria. Hydrocortisone is a corticosteroid which is use for topical application in the treatment of various skin disorders.

Before you use Micoderm HC Ointment

- When you must not use it
Do not use if you are allergic to
Miconazole, Hydrocortisone or any
other ingredients in this product.
Contraindicated in tuberculous
condition of the skin, cold sores,
cowpox and chickenpox.
Use in pregnancy should not be
extensive, unless the expected benefit
outweighs the potential risk.
Use in lactation is not recommended.
However, any excretion into breast
milk is likely to be low.

- <u>Before you start to use it</u> Application should be used in bacterial skin infections without suitable concomitant anti-microbial therapy.

- <u>Taking other medicines</u> Do not use other skin products on the affected area.

How to use Micoderm HC Ointment

- How much to use

Apply sparingly onto the affected area twice daily. Rub in gently. Wash hands after use.

- When to use it

You should follow the recommended dose and should not use more than the prescribed dose.

- How long to use it

Duration of treatment should be limited to 3 to 4 weeks if possible.

- If you forget to use it

If you forget to use Micoderm HC Ointment, use it as soon as you remember.

- If you use too much (overdose)

No specific antidote is available. In the event of accidental ingestion, the patient should be observed and treated symptomatically.

Contact your doctor immediately or your nearest hospital for medical advice.

While you are using Micoderm HC Ointment

- <u>Things you must do</u>

Check with your doctor if symptoms persist or getting worse.

- Things you must not do

For external use only. Avoid in contact with eyes, nose and mouth. Not to be taken. Do not use Micoderm HC Ointment to treat any other conditions unless your doctor or pharmacist tells you so.

- Things to be careful of

Do not use under occlusion unless under medical supervision.

Side Effects

Micoderm HC Ointment may cause skin rash, irritation and blistering in some sensitive people.

Local shrinking and stretched skin may occur on prolonged use.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

Storage and Disposal of Micoderm HC Ointment

- Storage
- Store below 30°C.
- Protect from light.
- Keep out of reach of children.

- <u>Disposal</u>

Do not use this after the expiry date. An expiry date is printed on the label and box of the medicine.

Product Description

- What it looks like

Micoderm HC Ointment is a white smooth and non-greasy ointment.

- Ingredients
- Active ingredient Miconazole Nitrate 2%w/w and Hydrocortisone Acetate 1%w/w
- Inactive ingredients
 Benzyl alcohol, Hydrogenated
 Polyisobutene, Menthol, Isopropyl
 Myristate, Cetomacrogol Emulsifying Wax,
 White Soft Paraffin, Butylated
 Hydroxytoluene, Cetostearyl Alcohol, Nmethyl-2- pyrrolidone,PEG-40
 Hydrogenated Castor Oil, Hard Paraffin
 Wax, Propylene Glycol.

- <u>MAL Number:</u> MAL08091414AZ

Manufacturer and Product Registration Holder

Winwa Medical Sdn Bhd 1952, Lorong I.K.S. Bukit Minyak 3, Taman I.K.S. Bukit Minyak, 14000 Bukit Mertajam, Pulau Pinang, Malaysia.

Date of revision

21/11/2017

Serial Number: NPRA(R4/1)161117/00319

A.EMO-PIL.01