## REXOM<sub>TM</sub> WINA ANTISEPTIC LIQUID

Chlorhexidine Gluconate/Cetrimide (0.3% w/v / 3.0% w/v)

#### What is in this leaflet

- 1. What REXOM<sub>TM</sub> Wina Antiseptic is used for
- 2. How REXOM<sub>TM</sub> Wina Antiseptic works
- 3. Before you use REXOM<sub>TM</sub> Wina Antiseptic
- 4. How to use REXOM<sub>TM</sub> Wina Antiseptic
- 5. While you are using REXOM<sub>TM</sub> Wina Antiseptic
- 6. Side effects
- 7. Storage and disposal of REXOM $_{\text{TM}}$  Wina Antiseptic
- 8. Product description
- 9. Manufacturer and Product Registration Holder
- 10. Date of revision

## What $REXOM_{TM}$ Wina Antiseptic is used for

It is indicated as antiseptic for minor burns, cuts, wounds, sores and rashes. Also used as general disinfectant, household disinfectant and personal hygiene.

# $\begin{array}{cccc} How & REXOM_{TM} & Wina & Antiseptic \\ works & \end{array}$

 $REXOM_{TM}$  Wina Antiseptic contains two antiseptics that help eliminate bacteria and prevent infection.

## Before you use REXOM<sub>TM</sub> Wina Antiseptic

-When you must not use it

It should not be used if you had known to be hypersensitive to chlorhexidine gluconate and cetrimide or other components of the formulation.

### -Before you start to use it

Hypersensitivity to chlorhexidine gluconate and cetrimide may occur after prolonged and repeated applications.

### Pregnancy and lactation

Talk to you doctor before taking this medicine if you are pregnant, might become pregnant or are breastfeeding.

### -Taking other medicines

Inform your doctor or pharmacist before taking this medicines, including any that you get without a prescription from your pharmacy, supermarket or health food shop.

## How to use REXOM<sub>TM</sub> Wina Antiseptic

-How much to use

Always use REXOM<sub>TM</sub> Wina Antiseptic as recommended.

### The usual dose:

Personal hygiene, wounds & burns: dilute 1 capful (10 ml) in 125 ml of water

House disinfectant: dilute 1 capful (10 ml) in 250 ml of water.

# While you are using REXOM<sub>TM</sub> Wina Antiseptic

-Things you must do

Tell all the doctors, dentists and pharmacists treating you that you are taking REXOM<sub>TM</sub> Wina Antiseptic

### - Things you must not do

- Do not take any new medicines without consulting your doctor or pharmacist.
- Do not give REXOM<sub>TM</sub> Wina Antiseptic to anyone else, even if they have the same symptoms or condition as you.

### -Things to be careful of

Avoid contact with eyes and ears. If any irritation occurs, discontinue use. If this accidentally occurs, rinse out promptly with water.

For external use only.

#### **Side effects**

Like all medicines,  $REXOM_{TM}$  Wina Antiseptic can cause side effects, although not everybody gets them.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

# Storage and disposal of REXOM $_{\text{TM}}$ Wina Antiseptic

-Storage

Keep container tightly closed. Store between 15 - 30°C. Protect from light. Keep medicine out of reach of children.

### -Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

### **Product description**

-What it looks like

Clear orange solution.

## -Ingredients

-Active ingredient
Each 5ml contains
0.015g Chlorhexidine Gluconate and
0.15g Cetrimide

-Inactive ingredients

Orange red, Botanical astringent essence, Isopropyl alcohol and Deionised water.

-MAL number MAL19991207X

## Manufacturer and Product Registration Holder

KCK Pharmaceutical Industries Sdn. Bhd.

Plot 61, Bayan Lepas Industrial Park Phase 4, 11900 Penang, Malaysia.

#### Date of revision

30/10/2017

## **Serial Number**

NPRA(R4/1)271017/00289