

# **Patient Information Leaflet**

# DHATIFEN TABLET 1mg/DHATIFEN SYRUP 1MG/5ML

Ketotifen Hydrogen Fumarate

## What is in this leaflet

- What Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml is used for
- How Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml works
- Before you use Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml
- How to take Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml
- While you are using Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml
- Side Effects
- After using Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml
- Product description
- Manufacturer
- Marketing Authorization Holder
- Date of Revision

## What Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml is used for

Dhatifен is used for the preventive treatment of asthma and the relieving of allergic symptoms like sneezing, running nose or redness in the eyes.

## How Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml works

Ketotifen, the active ingredient of Dhatifен, is an anti-histamine and a mast cell stabilizer.

## Before you use Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml

- When you must not take it  
You should not be taking it if you are taking oral medicines to control your diabetes. Please consult your doctor or pharmacist.

- Before you start to take it

As the action of Dhatifен is preventive, taking the medicine regularly is important.

- Taking other medicines  
Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including those obtained without a prescription and herbal medicines. In particular, inform them if you are using medicine for mood and sleep, antihistamines or consuming alcohol.

## How to take Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml

- How much to take  
Adult:  
1 tablet or 5ml syrup 2 times daily.  
  
Child:  
6 months – 3 years:  
½ tablet or 2.5ml syrup, 2 times daily.  
Over 3 years:  
1 tablet or 5ml syrup, 2 times daily.

• When to take it  
Always take the medicine exactly as your doctor has told you to. The dose will be on the pharmacist's label. Check the label carefully. It should tell you how many tablets or how much syrup to take, and how often. If you are not sure, ask your doctor or pharmacist.

• How long to take it  
It may take many weeks to see the results. Please follow the instructions of your doctor or pharmacist and continue taking regularly.

- If you forget to take it  
If you forget to take Dhatifен, take it as soon as you remember. However, if it is nearly time for your next dose, skip the missed dose. Do not take a double dose to make up for a forgotten dose.
- If you take too much (overdose)

Please consult a doctor immediately.

## While you are using Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml

- Things you must do  
You must take this medicine regularly to get maximum benefit from it.

- Things you must not do  
If you are on other medicine treating asthma, do not stop them unless instructed by your doctor or pharmacist.

- Things to be careful of  
As Dhatifен may make you drowsy, do not drive or operate machinery if you are affected.

## Side Effects

Like all medicines, Dhatifен can cause side effects, although not everybody gets them. You may experience sedation, dizziness and / or dry mouth. You may also have increased appetite.

## Storage and Disposal of Dhatifен Tablets 1mg/Dhatifен Syrup 1mg/5ml

### *Storage*

Store in a dry place below 30°C.

### *Disposal*

Do not use after the expiry date stated on the label.  
Take any unused tablets or syrup back to your pharmacist to be destroyed. Only keep the tablets or syrup if the doctor tells you to. Do not throw them away with your normal household water or waste. This will help to protect the environment.

## Product Description

- What it looks like  
Tablet:  
Beige, 8mm diameter, normal convex tablets with score-line and without logo.  
Syrup:  
Colourless, sweet taste with strawberry flavour.

## **DHATIFEN TABLET 1mg/DHATIFEN SYRUP 1MG/5ML**

Ketotifen Hydrogen Fumarate

- Ingredients

*Active Ingredient*

Ketotifen hydrogen fumarate

equivalent to Ketotifen:

Tablets: 1mg/tab

Syrup: 1mg/5ml

*Inactive ingredients*

*Tablets*

Corn starch, Microcrystalline Cellulose, Povidone 30, Sodium starch glycolate, Magnesium stearate, Quinoline Yellow E104 Alum Lake 30%, Carmoisine Alum Lake 22-26%

*Syrup*

Granulated fine white sugar, Sodium citrate dihydrate, Citric acid monohydrate, Glycerin, Sodium Carboxymethylcellulose, Strawberry flavour 77876-31, Purified water, Sodium Benzoate

- MAL No.

For tablets: MAL 19950251A

For syrup: MAL19950333A

**Manufacturer**

**Drug Houses of Australia Pte.  
Ltd.,**

#09-01/02 Haw Par Tiger Balm Building  
No.2 Chia Ping Road,  
Singapore 619968.

**Marketing Authorization Holder**

**Ascent Pharmahealth  
Malaysia Sdn Bhd**  
Unit 304, Level 3, Uptown 2, 2  
Jalan SS21/37, Damansara  
Uptown, 47400 Petaling Jaya,  
Selangor Darul Ehsan, Malaysia

**Date of Revision**

09-2011

**RiMUP**

# DHATIFEN TABLET 1mg/DHATIFEN SYRUP 1MG/5ML

Ketotifen Hydrogen Fumarate

## Apakah yang ada pada risalah ini

- Apakah kegunaan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- Bagaimana Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- berfungsi
- Sebelum mengambil Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- Cara menggunakan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- Semasa menggunakan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- Kesan-sesan sampingan
- Cara penyimpanan dan pelupusan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml
- Maklumat lanjut
- Pengilang
- Pemegang Produk
- Tarikh kemaskini RiMUP

## Apakah kegunaan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml

Dhatifén digunakan untuk rawatan pencegahan asma dan melegakan gejala alahan hidung seperti bersin, selsema atau kemerahan di mata.

## Bagaimana Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml berfungsi

Ketotifen, bahan aktif Dhatifén, adalah anti-histamin dan penstabil mast cell.

## Sebelum mengambil Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml

- Bila tidak boleh mengambil Anda tidak boleh mengambilnya jika anda mengambil ubat lain untuk mengawal diabetes anda. Sila rujuk doktor atau ahli farmasi.

- Sebelum mula mengambil Dhatifén bertindak sebagai ubat pencegahan, oleh itu mengambil ubat secara berkala adalah penting.

- Jika mengambil ubat-ubat lain

Sila beritahu doktor atau ahli farmasi jika anda mengambil atau baru-baru ini mengambil sebarang ubat-ubatan lain, termasuk yang diperolehi tanpa preskripsi dan ubat herba. Secara khususnya, beritahu jika anda menggunakan ubat untuk mengawal perasaan dan tidur, antihistamin atau minum arak.

## Cara menggunakan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml

- Berapa banyak harus diambil Dewasa:

1 tablet atau sirap 5ml 2 kali sehari.

Kanak-kanak:

6 bulan - 3 tahun:  
½ tablet atau sirap 2.5ml, 2 kali sehari.

Lebih 3 tahun:

1 tablet atau sirap 5ml, 2 kali sehari.

- Bila perlu diambil

Selalu ambil tablet seperti yang diberitahu oleh doktor anda. Dos tersebut akan dipamerkan pada label ubat. Periksa label ubat dengan teliti. Ia sepatutnya memberitahu berapa banyak tablet yang anda patut ambil, dan berapa kerap untuk diambil. Jika anda tidak pasti, tanya doctor atau ahli farmasi anda.

- Berapa lama perlu diambil Ia mungkin mengambil beberapa minggu untuk melihat hasilnya. Sila ikut arahan doktor atau ahli farmasi anda dan terus mengambil dengan kerap.

- Jika terlupa mengambil Jika anda terlupa untuk mengambil Dhatifén, ambilnya sebaik sahaja anda ingat.

Bagaimanapun, jika ia hampir masa untuk dos seterusnya, abaikan dos tertinggal. Jangan mengambil dos berganda untuk mengantikan dos dilupakan.

- Jika mengambil berlebihan (terlebih dos)

Sila hubungi doktor dengan segera.

## Semasa menggunakan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml

- Perkara yang perlu dilakukan

Anda perlu mengambil ubat ini dengan tetap untuk mendapatkan manfaat yang maxima daripadanya.

- Perkara yang tidak boleh dilakukan

Jika anda mengambil ubat lain untuk merawat asma, jangan hentikannya kecuali diarahkan oleh doktor atau ahli farmasi anda.

- Perkara yang perlu diberi perhatian

Dhatifén boleh membuat anda mengantuk, jangan memandu atau mengendalikan jentera jika anda terjejas.

## Kesan-sesan sampingan

Seperti semua ubat, Dhatifén boleh menyebabkan kesan sampingan, walaupun tidak semua orang mengalaminya. Anda mungkin merasa mengantuk, pening dan / atau mulut kering. Selera makan anda juga mungkin meningkat.

## Cara penyimpanan dan pelupusan Dhatifén Tablet 1mg/Dhatifén Syrup 1mg/5ml

### Penyimpanan

Simpan di tempat kering di bawah suhu 30°C.

### Pelupusan

Jangan makan ubat itu apabila telah lepas tarikh luputnya.

Pulang tablet atau syrup yang belum digunakan kepada ahli

# **DHATIFEN TABLET 1mg/DHATIFEN SYRUP 1MG/5ML**

Ketotifen Hydrogen Fumarate

farmasi anda untuk dilupuskan.  
Hanya simpan tablet atau syrup jika doktor anda menasihatkannya. Jangan buang ubat tersebut di dalam air atau bersama-sama dengan sampah-sarap rumah. Tindakan ini boleh membantu melindungi alam persekitaran.

## **Maklumat lanjut**

- Rupa dan warna produk  
Tablet:  
Warna *beige*, 8mm diameter, pil berbentuk cembung dengan garis-skor dan tanpa logo.

Sirap:  
Tidak berwarna, rasa manis dengan rasa strawberi.

- Bahan-bahan kandungan  
*Ramuan aktif*  
Ketotifen hydrogen fumarate bersamaan dengan Ketotifen:

Setiap Tablet: 1mg  
Setiap 5ml Sirap: 1mg

## *Bahan-bahan tidak aktif*

Tablet:  
Corn starch, Microcrystalline Cellulose, Povidone 30, Sodium starch glycolate, Magnesium stearate, Quinoline Yellow E104 Alum Lake 30%, Carmoisine Alum Lake 22-26%

Syrup:  
Granulated fine white sugar, Sodium citrate dihydrate, Citric acid monohydrate, Glycerin, Sodium Carboxymethylcellulose, Strawberry flavour 77876-31, Purified water, Sodium Benzoate

- Nombor MAL  
*Untuk tablet:* MAL 19950251A  
*Untuk syrup:* MAL 19950333A

## **Pengilang**

**Drug Houses of Australia Pte. Ltd.,**  
#09-01/02 Haw Par Tiger Balm Building  
No.2 Chia Ping Road,  
Singapore 619968.

| <b><u>Pemegang Produk</u></b> | <b><u>Pendaftaran</u></b> |
|-------------------------------|---------------------------|
|-------------------------------|---------------------------|

|   |                     |
|---|---------------------|
| <b>Ascent Malaysia Sdn Bhd</b>  | <b>Pharmahealth</b> |
| Unit 304, Level 3, Uptown 2, 2 Jalan SS21/37, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia |                     |

## **Tarikh kemaskini RiMUP**

09-2011