

TRAMSONE CREAM

Triamcinolone Acetonide (0.1% w/w)

What is in this leaflet

1. What TRAMSONE CREAM is used for
2. How TRAMSONE CREAM works
3. Before you use TRAMSONE CREAM
4. How to use TRAMSONE CREAM
5. While you are using it
6. Side effects
7. Storage and Disposal of TRAMSONE CREAM
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

This leaflet answers some common questions about TRAMSONE CREAM. It does not contain all the available information. It does not take the place of talking to your pharmacist or doctor.

All medicines have risks and benefits. Your pharmacist or doctor has weighed the risks of you taking TRAMSONE CREAM against the benefits they expect it will have for you.

Keep this leaflet with the medicine.

You may need to read it again.

What TRAMSONE CREAM is used for

TRAMSONE CREAM is used to suppress of skin diseases in which inflammation is a prominent feature that is responsive to corticosteroid. These skin problems include eczema, dermatitis, psoriasis and intertrigo.

How TRAMSONE CREAM works

TRAMSONE CREAM contains the active ingredient Triamcinolone Acetonide.

It belongs to a group of medicines called steroids. It has anti-inflammatory, anti-itching and blood vessel narrowing actions.

Ask your pharmacist or doctor if you have any questions about this medicine.

Before you use TRAMSONE CREAM

-When you must not use it

Do not use TRAMSONE CREAM if:

- You are allergic (hypersensitive) to Triamcinolone or any of this medicine related ingredients.
- You have viral skin infections, tuberculosis (infection that mainly affects the lung), facial redness with acne and ulcerative condition.

-Before you start to use it

Tell your pharmacist or doctor:

- If you have infection on your skin and specify on the infected area.
- If you are using any skin products.

Pregnancy and breast feeding:

- Safe use during pregnancy and lactation has not been established.
- Ask your doctor or pharmacist for advice before taking this medicine if you are pregnant or breast-feeding.

-Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use TRAMSONE CREAM

-How much to use

Apply TRAMSONE CREAM sparingly to the affected areas and rub in once or twice daily as directed by your doctor and pharmacist.

-When to use it

Apply on the affected areas once dry and clean.

-How long to use it

Consult with your doctor or pharmacist for the treatment period.

-If you forget to use it

Apply the cream as soon as possible and then continue the rest of your treatment as usual.

-If you use too much (overdose)

Corticosteroid applied to the skin can be absorbed in sufficient amount to produce manifestation of Cushing's syndrome, high blood glucose level and presence of glucose in the urine.

While you are using TRAMSONE CREAM

-Things you must do

If you are about to start taking on any other new medicine, tell your pharmacist or doctor that you are taking TRAMSONE CREAM.

If symptoms persist, please consult the doctor.

-Things you must not do

Do not take more than the recommended dose unless your doctor tells you to.

Do not use near or around the eye.

-Things to be careful of

Discontinue use if irritation or sensitivity reaction develops and consult the doctor. Special care must be taken when giving to infants and children as systemic absorption can occur in topical administration causing growth retardation. Caution is advised if the medication is to be applied to extensive surface area or under occlusive dressing.

Side effects

Like other medicines, TRAMSONE CREAM can cause some side effects. If they occur, most are likely to be minor and temporary. However, some may be serious and need medical attention.

TRAMSONE CREAM

Triamcinolone Acetonide (0.1% w/w)

Reported local adverse reactions are burning sensation, itching, irritation, dryness, hair follicle inflammation, abnormal hair growth, acne eruptions, lightening of the skin, softening and breaking down of skin, skin thinning, stretch mark and heat rashes.

Large doses of corticosteroids may produce symptoms typical of hyperactivity of the adrenal cortex, with moon face, sometimes with excessive hair growth in certain areas of a woman's face and body, fat lump between the shoulder, flushing, sometimes leading to a fully developed Cushing's syndrome.

If you get any side effects, even those not mentioned in this leaflet, tell your doctor or pharmacist. You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835549, or visiting the website npra.moh.gov.my [Public → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of TRAMSONE CREAM

-Storage

Store below 30°C.
Keep container well closed.
Protect from strong light.
Keep out of reach of children.
For external use only.

-Disposal

Dispose the medicine after the expiry date. Medicines should not be disposed of via wastewater or household waste, Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

-What it looks like

TRAMSONE CREAM is a white cream.

TRAMSONE CREAM available in aluminium tubes 15g.

-Ingredients

-Active ingredient(s):
Each tube contains Triamcinolone Acetonide 0.1% w/w.

-Inactive ingredients:
Sodium Dihydrogen Phosphate, Phosphoric Acid 85%, Liquid Paraffin, White Soft Paraffin, Cetostearyl Alcohol, Propylene Glycol, Macrogol Cetostearyl Ether, Chlorocresol, Purified Water.

-MAL number:

MAL19913401AZ

Manufacturer

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Product Registration Holder:

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Date of revision

-08/08/2018

Serial Number

NPRA (R4/1)080818/00232