

MAZETOL TABLET 200MG®

CARBAMAZEPINE 200MG

<p><u>What is in this leaflet:</u></p> <ol style="list-style-type: none">1. What Mazetol Tablet 200mg is used for2. How Mazetol Tablet 200mg works3. Before you use Mazetol Tablet 200mg4. How to take Mazetol Tablet 200mg5. While you are using Mazetol Tablet 200mg6. Side Effects7. How to store and dispose8. Product description <p><u>What Mazetol Tablet 200mg is used for</u></p> <p>Mazetol Tablet 200mg is indicated for the treatment of epilepsy or nerve pain.</p> <p><u>How Mazetol Tablet 200mg works</u></p> <p>Mazetol Tablet 200mg contains Carbamazepine BP 200mg, which is an anticonvulsant. It works by decreasing nerve impulses that cause seizures and nerve pain.</p> <p><u>Before you use Mazetol Tablet 200mg</u></p> <p>This medicine should not be used in patients with medical problems such as:</p> <ol style="list-style-type: none">1. Absence seizure2. Heart disease, high blood pressure3. Kidney disease4. Serious blood abnormalities5. Bone marrow depression6. Mental illness <p>Please inform your doctor if you are on other medications.</p>	<p><u>How to take Mazetol Tablet 200mg</u></p> <p><u>How much to take</u></p> <p>Always take Mazetol Tablet 200mg exactly as your doctor's advice. If you are unsure, do check with your doctor or pharmacist.</p> <p><u>Doses:</u></p> <p>Adults : 200 mg – 1.2 g, in 3 or 4 divided doses. Children (6-12 years) : 100 mg – 800 mg, in 3 or 4 divided doses. Children (up to 6 years) : 10 – 20 mg/kg/day, in 2-3 divided doses.</p> <p><u>When to take it</u></p> <p>Take with food to reduce stomach irritation.</p> <p><u>How long to take it</u></p> <p>Do not stop taking this medicine even if you feel better, unless being advised by your doctor.</p> <p><u>If you forget to take it</u></p> <p>If you miss a dose of Mazetol Tablet 200mg, take it as soon as possible. However, if its due for the next dose, skip the missed dose and continue with your regular dosing schedule. Do not double up the doses.</p> <p><u>If you take too much (overdose)</u></p> <p>If you have taken more than the prescribed dose, contact your doctor immediately. Signs of an overdose are severe dizziness, irregular heartbeat, seizure, trembling or twitching.</p> <p><u>While you are using Mazetol Tablet 200mg</u></p> <p>Check with your doctor at once:</p> <ol style="list-style-type: none">1. If you have strong and thumping heartbeat.2. If you develop skin rashes.	<p><u>Side Effects</u></p> <p>Frequent incidents are weakness, dizziness, vomiting, urge to vomit, constipation, headache, dry mouth or muscle pain.</p> <p>Serious side effects include pale skin, rapid heartbeat, easy bruising, numbness, confusion, blurry vision, shortness of breath, jaundice or yellowing of skin and eyes, continuous back-and-forth eye movement, and red or purple skin rash.</p> <p>Usage during pregnancy and lactation should be considered based on risk benefit.</p> <p>Breast feeding: Mazetol Tablet 200mg is excreted in breast milk</p> <p><u>How to store and dispose</u></p> <p><u>Storage</u></p> <p>Keep container tightly closed in a dry place, below 25°C. Protect from light. Keep out of the reach of children.</p> <p><u>Disposal</u></p> <p>Do not dispose the medicine into wastewater or household garbage. Ask your pharmacist on the disposal of medicines.</p> <p><u>Product Description</u></p> <p><u>What it looks like</u></p> <p>Mazetol Tablet 200mg is a clean, uniform, round, bevel edged flat tablets, scored on one side and white in colour.</p> <p><u>Ingredients</u></p> <p>The active substance of Mazetol Tablet 200mg is Carbamazepine 200mg. The other ingredients of Mazetol Tablet 200mg are maize starch, sodium lauryl sulphate, colloidal silicone dioxide, povidone and magnesium stearate.</p> <p>Packed in glass bottles of 30's, 250's and plastic containers of 500's.</p> <p><u>Registration Numbers:</u></p> <p>Mazetol Tablet 200mg: MAL19860221A</p> <p><u>Manufactured by:</u></p> <p>Idaman Pharma Manufacturing Sdn Bhd (661901-P) Lot 24, Bakar Arang Industrial Estate, Sungai Petani, Kedah, Malaysia.</p>
--	--	---

Date of revision:

Marketing Authorisation Holder

July 20th, 2012

IDAMAN PHARMA MANUFACTURING SDN BHD

MAZETOL TABLET 200MG®

CARBAMAZEPINE 200MG

<p><u>Apakah yang ada pada risalah ini:</u></p> <ol style="list-style-type: none">1. Apa kegunaan Mazetol Tablet 200mg2. Bagaimana Mazetol Tablet 200mg3. Sebelum mengambil Mazetol Tablet 200mg4. Cara pengambilan Mazetol Tablet 200mg5. Semasa menggunakan Mazetol Tablet 200mg6. Kesan-kesan sampingan7. Cara penyimpanan dan pelupusan8. Diskripsi produk <p><u>Apa kegunaan Mazetol Tablet 200mg</u></p> <p>Mazetol Tablet 200mg digunakan untuk rawatan sawan atau sakit urat.</p> <p><u>Bagaimana Mazetol Tablet 200mg berfungsi</u></p> <p>Ubat ini mengandungi Carbamazepine BP 200mg, yang merupakan sejenis antikonvulsan. Ia berfungsi mengurangkan rangsangan kesakitan dan sawan.</p> <p><u>Sebelum mengambil Mazetol Tablet 200mg</u></p> <p>Ubat ini tidak seharusnya digunakan pada pesakit yang mempunyai masalah perubatan seperti:</p> <ol style="list-style-type: none">1. 'Absence seizure'2. Penyakit jantung, tekanan darah tinggi3. Penyakit buah pinggang4. Darah tidak normal5. Sum sum tulang tidak normal6. Sakit jiwa	<p><u>Cara pengambilan Mazetol Tablet 200mg</u></p> <p><u>Berapa banyak untuk diambil</u></p> <p>Sentiasa mengambil ubat ini tepat mengikut arahan doktor anda. Jika anda was-was, sila rujuk kepada doktor atau ahli farmasi anda</p> <p><u>Dos:</u></p> <p>Dewasa : 200 mg – 1.2 g, 3 atau 4 kali sehari. Kanak-kanak (6 tahun ke atas): 100 mg – 800 mg, 3 atau 4 kali sehari. Kanak-kanak (2-6 tahun): 10 – 20 mg/kg/day, 2 atau 3 kali sehari.</p> <p><u>Bila ubat diambil</u></p> <p>Ambil ubat ini semasa makan untuk mengurangkan ketidakelesaan perut.</p> <p><u>Berapa lama ubat diambil</u></p> <p>Jangan berhenti minum ubat ini walaupun anda berasa lebih sihat melainkan atas arahan doktor anda.</p> <p><u>Jika anda lupa mengambil ubat</u></p> <p>Jika anda terlewat mengambil dos, ambil ubat secepat mungkin. Jika hampir masa untuk dos berikutnya, abaikan dos tersebut dan teruskan dos rutin anda. Jangan mengambil 2 dos sekaligus.</p> <p><u>Jika anda terambil ubat terlalu banyak</u></p> <p>Jika anda terambil dos lebih daripada yang ditetapkan, hubungi doktor serta merta. Tanda-tanda akibat dos berlebihan adalah pening yang teruk, ketidakseragaman denyutan jantung, sawan, ketar atau sentakan otot.</p> <p><u>Semasa menggunakan Mazetol Tablet 200mg</u></p> <p>Periksa dengan doktor anda serta-merta:</p> <ol style="list-style-type: none">1. Jika anda mengalami denyutan jantung yang kuat2. Jika anda mendapat ruam kulit.	<p><u>Kesan-kesan sampingan</u></p> <p>Insiden yang kerap terjadi adalah keletihan, muntah-muntah, loya, sembelit, sakit kepala, mulut kering atau sakit otot.</p> <p>Kesan sampingan yang serius termasuk kulit pucat, denyutan jantung berdebar, mudah lebam, kekebasan, keresahan, kekaburan pengelihatan, kecunggaan pernafasan, demam kuning atau kulit dan mata kekuningan, pergerakan mata yang tidak normal, dan ruam kulit berwarna merah atau ungu.</p> <p>Penggunaan ubat ini semasa mengandung perlu berdasarkan risiko dan manfaatnya.</p> <p>Bagi ibu menyusui: Mazetol Tablet 200mg boleh meresap ke dalam susu ibu</p> <p><u>Cara penyimpanan dan pelupusan</u></p> <p><u>Penyimpanan</u></p> <p>Simpan di dalam bekas tertutup di tempat yang kering, di bawah suhu 25°C. Jauhi daripada cahaya dan kanak-kanak.</p> <p><u>Pelupusan</u></p> <p>Jangan buang ubat ke dalam longkang atau tong sampah. Sila bertanya kepada ahli farmasi anda berkenaan cara pelupusan ubat.</p> <p><u>Diskripsi produk</u></p> <p><u>Rupa produk</u></p> <p>Mazetol Tablet 200mg merupakan tablet yang bersih, seragam, bulat, berwarna putih.</p> <p><u>Bahan kandungan</u></p> <p>Bahan aktif ubat ini ialah 'Carbamazepine' 200mg. Kandungan lain Mazetol Tablet 200mg ialah 'maize starch', 'sodium lauryl sulphate', 'colloidal silicone dioxide', 'povidone' dan 'magnesium stearate'.</p> <p>Saiz pek ialah 30's, 250's botol gelas dan 500's botol plastik.</p> <p><u>Nombor Pendaftaran:</u></p> <p>Mazetol Tablet 200mg: MAL19860221A</p> <p><u>Dikilangkan oleh:</u></p> <p>Idaman Pharma Manufacturing Sdn Bhd (661901-P) Lot 24, Bakar Arang Industrial Estate, Sungai Petani, Kedah, Malaysia.</p>
--	--	--

Tarikh semakan:

Julai 20, 2012

Pemegang Otorisasi Pasaran

IDAMAN PHARMA MANUFACTURING SDN BHD