

DENZO TABLET

Serratiopeptidase (5 mg)

What is in this leaflet

1. What Denzo Tablet is used for
2. How Denzo Tablet works
3. Before you used Denzo Tablet
4. How to use Denzo Tablet
5. While you are using it
6. Side effects
7. Storage and disposal of Denzo Tablet
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Denzo Tablet is used for

Indicated as concomitant therapy for inflammatory oedema (accumulation of fluid under skin tissue) and swelling.

How Denzo Tablet works

Denzo Tablet breaks down exudates, mucus secretions and blood clots and enhance antibiotic action which promotes the transport of the antibiotics to the lesion and thereby enhance the action of the latter.

Before you use Denzo Tablet

- When you must not use it

Do not use Denzo Tablet if you are hypersensitive to the ingredients of the preparations or to Serratiopeptidase.

Ask your doctor or pharmacists for advice before taking Denzo Tablet.

- Before you start to use it

Tell your doctor or pharmacist if you have any of the following conditions:

- Blood clotting abnormalities
- Severe liver and kidney disturbances
- Pregnancy and lactation

- Taking other medicines

Tell your doctor or pharmacist if you under treatment of anti-coagulants to prevent blood clot.

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Denzo Tablet

- How much to use

Adults: 2 tablets

Children: 1 tablet

The directions given may differ from the information contained in this leaflet.

If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- When to use it

To be taken 3 times a day.

Use as directed by your doctor or pharmacist.

- How long to use it

Continue taking Denzo Tablet for as long as your doctor recommends.

- If you forget to use it

Take the missed dose as soon as you remember. If it almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

- Things you must do

Take your medicine exactly as your doctor has told you.

Tell the doctor, dentist and pharmacist treating you that you are taking Denzo Tablet.

- Things you must not do

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give Denzo Tablet to anyone else, even if they have the same symptoms or conditions as you.

- Things to be careful of

It should be used with caution. It may cause gastro-intestinal disturbances such as loss of appetite, gastric discomfort and nausea.

Side effects

With the recommended directions, side-effects are unlikely to occur. Visit your

doctor or pharmacist immediately if you experience any side effects after taking this medicine. You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835549, or visiting the website npra.moh.gov.my (Public → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI).

Storage and Disposal of Denzo Tablet

- Storage

Keep out of reach of children

Protect from light

Store in dry place below 30°C

Keep the container tightly closed

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Light orange with round/biconvex shaped and enteric coated tablet.

- Ingredients

- Active ingredients

Serratiopeptidase

- Inactive ingredients

White Base, Magnesium stearate,

Opadry Orange - OY P33125 &

Chloroform Spirit.

- MAL number

MAL19910626X

Manufacturer & Product registration holder

Dynapharm (M) Sdn. Bhd.

2497, Mk 1, Lorong Perusahaan Baru 5,

Kawasan Perusahaan Perai 3, 13600

Perai, Pulau Pinang, Malaysia.

Date of revision

18/09/2018

Serial Number:

NPRA(R4/1)130918/00260