

T3 MYCIN SPRAY

Clindamycin Phosphate (1.0% w/v)

What is in this leaflet

1. What T3 Mycin Spray is used for
2. How T3 Mycin Spray works
3. Before you use T3 Mycin Spray
4. How to use T3 Mycin Spray
5. While you are using it
6. Side effects
7. Storage and Disposal of T3 Mycin Spray
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

This leaflet answers some common questions about T3 Mycin Spray. It does not contain all the available information. It does not take the place of talking to your pharmacist or doctor.

All medicines have risks and benefits. Your pharmacist or doctor has weighed the risks of you taking T3 Mycin Spray against the benefits they expect it will have for you.

Keep this leaflet with the medicine.

You may need to read it again.

What T3 Mycin Spray is used for

T3 Mycin Spray is an antibiotic Spray used to treat acne.

How T3 Mycin Spray works

T3 Mycin Spray works by decreasing acne lesions and/or stopping the growth of skin bacteria that cause acne.

Ask your pharmacist or doctor if you have any questions about this medicine.

Before you use T3 Mycin Spray

-When you must not use it

Allergic (hypersensitive) to clindamycin, lincomycin or any of the ingredients listed at the end of this leaflet.

If the packaging shows signs of tampering.

If the expiry date (EXP) printed on the pack has passed.

Individual with a history of gastrointestinal disease, particularly colitis (inflammation of the inner lining of the colon).

Clindamycin is not recommended in new-borns.

Pregnancy and lactation

Safety for use in pregnancy has not been established. Clindamycin has been reported to appear in the breast milk, therefore it is not recommended for nursing mothers.

-Before you start to use it

Usage of Clindamycin in the absence of a bacterial infection is unlikely to provide benefit and increases the risk of development of antibiotic-resistance bacteria.

Clindamycin should be reserved for serious infections where less toxic antimicrobial agents are inappropriate

There is no data available for the usage of Clindamycin in children below 12 years old. Appropriate monitoring of organ function is desirable.

-Taking other medicines

Some medicines may interfere with T3 Mycin Spray. These include:

- the antibiotic erythromycin
- neuromuscular blocking medicines (used for muscle relaxation in anaesthesia)

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use T3 Mycin Spray

-How much to use

Shake the bottle immediately before use. Clean and dry skin area

to be treated. Spray twice daily to the affected area.

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

-When to use it

Use as directed by your doctor or pharmacist.

-How long to use it

Continue using T3 Mycin Spray for as long as your doctor recommends.

If you are not sure how long you should be using T3 Mycin Spray, check with your doktor.

-If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it.

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using T3 Mycin Spray

-Things you must do

Take your medicine exactly as your doctor has told you.

Tell all the doctors, dentists and pharmacists treating you that you are taking T3 Mycin Spray if you are about to start taking any new medicines

T3 MYCIN SPRAY

Clindamycin Phosphate (1.0% w/v)

Tell your doctor immediately if you become pregnant while taking this medication.

-Things you must not do

Do not stop taking the medicine unless advised by your doctor.

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give T3 Mycin Spray to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

Avoid contact with eyes

Side effects

Like other medicines, T3 Mycin Spray can cause some side effects. If they occur, most are likely to be minor and temporary. However, some may be serious and need medical attention.

Tell your doctor immediately if you notice any of the following side effects during use, or several weeks after stopping treatment with T3 Mycin Spray:

- Severe abdominal pain.
- watery and severe diarrhea, which may also be bloody
- fever, in combination with one or both of the above

Clindamycin has been associated with severe colitis which may end fatally.

Other local effects include contact dermatitis (skin inflammation caused by touching something), irritation (e.g. redness, peeling and burning), oily skin, skin dryness and inflammation of hair follicles.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website portal.bpfk.gov.my (Consumers → Reporting)

Storage and Disposal of T3

Mycin Spray

-Storage

Keep T3 Mycin Spray in a cool, dry place. Store below 30°C.

Keep out of reach of children.

-Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

-What it looks like

T3 Mycin Spray is a clear colourless liquid with characteristic odour.

T3 Mycin Spray is available in 30ml plastic bottle.

-Ingredients

-Active ingredient(s):

Each 30ml contains 1.2% w/v (equivalent to 1.0% w/v Clindamycin) of Clindamycin Phosphate.

-Inactive ingredients:

Methylparaben, Propylparaben, Isopropyl Alcohol, Sodium Hydroxide, Propylene Glycol, Purified Water

-MAL number:

MAL09062162AZ

Manufacturer

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Product Registration Holder:

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohamed 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Date of revision

-08/07/2015

Serial Number

BPFK (R4/1)300615/00171