

AXCEL SILICONE CREAM BPC73

Dimethicone/Cetrimide (10%w/w / 0.5%w/w)

What is in this leaflet

1. What Axcel Silicone Cream BPC73 is used for.
2. How Axcel Silicone Cream BPC73 works.
3. Before you use Axcel Silicone Cream BPC73.
4. How to use Axcel Silicone Cream BPC73.
5. While you are using it.
6. Side effects.
7. Storage and disposal of Axcel Silicone Cream BPC73.
8. Product description.
9. Manufacturer and Product Registration Holder.
10. Date of revision.

What Axcel Silicone Cream BPC73 is used for

Axcel Silicone Cream BPC73 is used to prevent bedsore, napkin rash and dry skin due to exposure to sun, wind and cold weather. It can also be used topically as wound dressings.

How Axcel Silicone Cream BPC73 works.

Axcel Silicone Cream BPC73 contains dimethicone and cetrimide as active ingredients. Dimethicone is water repellent and will protect the skin against water soluble irritants. Cetrimide is an antiseptic which help to prevent skin infection and aids healing.

Before you use Axcel Silicone Cream BPC73

-When you must not use it

Do not use Axcel Silicone Cream BPC73 if:

- You are allergic or hypersensitive to the dimethicone or cetrimide or other ingredients.
- You are pregnant, trying to get pregnant or think you may be pregnant.
- You are breast-feeding. Ask your doctor or pharmacist for advice before taking any medicine.

-Before you start to use it

Tell your doctor if:

- You are allergic to any medicines, food and dyes.

-Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

It may still be all right for you to use Axcel Silicone Cream BPC73 and your doctor will be able to decide what is suitable for you.

How to use Axcel Silicone Cream BPC73

-How much to use

For external use only.

Applied the cream as required.

-When to use it

Your doctor will decide when it is appropriate for you to use Axcel Silicone Cream BPC73 according to the type of condition you have.

-How long to use it

Continue taking Axcel Silicone Cream BPC73 for as long as doctor recommends.

-If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it.

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

-Things you must do

- Take your medicine exactly as your doctor has told you.

- Tell all the doctors, dentists and pharmacists treating you that you are taking Axcel Silicone Cream BPC73.

- Tell your doctor immediately if you become pregnant while talking this medication.

-Things you must not do

- Do not stop taking the medicine unless advised by your doctor.
- Do not take any new medicines without consulting your doctor or pharmacist.
- Do not give Axcel Silicone Cream BPC73 to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

- Avoid contact with the eyes.
- Do not apply on inflamed or broken skin.

Side effects

Like all medicines, Axcel Silicone Cream BPC73 can cause side effects although not everybody gets them. You are advised to consult doctor/pharmacist for further information. The following side effects have been reported:

- If ingested, nausea and vomiting may occur.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety)

Storage and disposal of Axcel Silicone Cream BPC73

-Storage

Keep Axcel Silicone Cream BPC73 out of reach of children.

Store below 25°C. Keep container well closed. Protect from light.

-Disposal

Do not use Axcel Silicone Cream BPC73 after the expiry date which is stated on the carton.

AXCEL SILICONE CREAM BPC73

Dimethicone/Cetrimide (10% w/w / 0.5% w/w)

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product description

-How it looks like

Axcel Silicone Cream BPC73 is white water miscible cream.

-Ingredients

- Active Ingredient:

Dimethicone and Cetrimide.

- Inactive Ingredients:

Chlorocresol, Cetostearyl Alcohol, Liquid Paraffin, Cremophor A6, Cremophor A25, Propylene Glycol and Purified Water.

-MAL Number

MAL20002002X

Manufacturer and product registration holder

Kotra Pharma (M) Sdn Bhd
No. 1, 2 & 3, Jalan TTC 12,
Cheng Industrial Estate,
75250 Melaka, Malaysia.

Date of revision

02/01/2018

Serial number

NPRA(R4/1)051217/00340