

PABRON COUGH & SINUS SYRUP

Triprolidine Hydrochloride/Pseudoephedrine Hydrochloride/Guaiphenesin (1.25mg/30mg/100mg per 5ml)

What is in this leaflet

1. What PABRON COUGH & SINUS is used for
2. How PABRON COUGH & SINUS works
3. Before you use PABRON COUGH & SINUS
4. How to use PABRON COUGH & SINUS
5. While you are using PABRON COUGH & SINUS
6. Side effects
7. Storage and disposal of PABRON COUGH & SINUS
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of Revision

This leaflet answers some common questions about PABRON COUGH & SINUS. It does not contain all the available information. It does not take the place of talking to your pharmacist or doctor.

All medicines have risks and benefits. Your pharmacist or doctor has weighed the risks of you taking PABRON COUGH & SINUS against the benefits they expect it will have for you.

Keep this leaflet with the medicine. You may need to read it again.

What PABRON COUGH & SINUS is used for

PABRON COUGH & SINUS is indicated for the symptomatic relief of upper respiratory tract disorders accompanied by productive cough.

How PABRON COUGH & SINUS works

PABRON COUGH & SINUS contains triprolidine hydrochloride (HCl), pseudoephedrine HCl and guaiphenesin as active ingredients.

Triprolidine hydrochloride (HCl) belongs to a group of medicine called antihistamines. It works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction.

Pseudoephedrine hydrochloride (HCl) is a decongestant that shrinks blood vessels in the nasal passages. This leads to clearing of the stuffy or blocked nose.

Guaiphenesin is an expectorant used in the symptomatic relief of respiratory conditions associated with productive cough, with the presence of mucus in the airway. It works by reducing the thickness of mucus.

Ask your pharmacist or doctor if you have any questions about this medicine.

Before you use PABRON COUGH & SINUS

-When you must not use it

Do not take PABRON COUGH & SINUS if you are allergic to triprolidine HCL, pseudoephedrine HCL, guaiphenesin or any components in this preparation.

Do not use PABRON COUGH & SINUS if you have the following conditions:

- severe high blood pressure & coronary artery disease (heart disease).

- taken monoamine oxidase inhibitors (antidepressants) within the last 2 weeks.
- persistent or chronic cough

-Before you start to use it

Tell your doctor if you have or have had any of the following medical conditions:

- High blood pressure
- Heart disease
- Diabetes
- Overactive thyroid
- Increased pressure inside the eye
- Prostatic enlargement
- Kidney impairment
- Liver impairment

Pregnancy and breast feeding:

Ask your doctor or pharmacist for advice before taking this medicine if you are pregnant or breast-feeding. Pseudoephedrine, triprolidine and guaiphenesin are found in breast milk but the effect on breastfed infants is not known.

-Taking other medicines

Tell your pharmacist or doctor if you are taking any other products (such as over the counter products, prescribed medicines and herbal products).

Use of sympathomimetic agents such as decongestant, tricyclic antidepressant, amphetamine-like psychostimulants and monoamine oxidase inhibitors, may occasionally cause a rise in blood pressure.

The content of Pseudoephedrine may interfere with alpha- and beta-blocking medicines.

Avoid alcohol or other centrally acting sedatives.

Kindly consult your doctor or pharmacist if you are not sure whether you are taking any of the above medicines.

How to use PABRON COUGH & SINUS

-How much to use

Adult and Children above 12 years: 10ml

Children 6 -12 years:
5ml

Children 2 - 6 years:
2.5ml

Not to be used in children less than 2 years of age.

To be used with caution and on doctor's or pharmacist's advice in children 2 to 6 years of age.

-When to use it

To be taken three times daily.

PABRON COUGH & SINUS may be used as directed by your doctor or pharmacist.

-How long to use it

Continue taking PABRON COUGH & SINUS for as long as your doctor recommends.

-If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait then to take the medicine and skip missed dose. Do not take a double dose to make up for the missed dose

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken

too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention. Bring any remaining medicine with you.

Overdose of Pabron Cold & Sinus may cause:

- gastro-intestinal discomfort
- nausea
- vomiting
- drowsiness
- lethargy
- dizziness
- lack of muscle coordination
- low muscle tone
- breathing difficulty
- dryness of the skin and mucous membranes
- tachycardia (fast heart rate)
- high blood pressure
- abnormal high fever
- hyperactivity
- irritability
- convulsions
- difficulty with urination.

While you are using PABRON COUGH & SINUS

-Things you must do

Take your medicine exactly as your doctor has told you.

Tell your doctor immediately if you become pregnant while taking this medication.

If you are about to start taking on any other new medicine, tell your pharmacist or doctor that you are taking PABRON COUGH & SINUS.

-Things you must not do

Do not take any new medicines without consulting your doctor.

Do not give PABRON COUGH & SINUS to anyone else, even if they have the same symptoms or condition as you.

Do not take more than the recommended dose unless your doctor tells you to.

-Things to be careful of

PABRON COUGH & SINUS may cause drowsiness and impair performance in test of auditory vigilance. If affected, do not drive or operate machinery.

Side effects

All medicines can have side effects. Sometimes they are serious, most of the time they are not.

Possible side effects:

- Drowsiness
- sleeping difficulty
- Dry mouth
- Blurred vision
- Constipation
- Skin rashes
- Tremor
- Anxiety
- Irritability
- Restlessness
- Nausea
- Vomiting
- Gastrointestinal disturbances
- Palpitations (feeling of strong rapid beating of the heart)
- urinary retention

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website npra.moh.gov.my (Public → Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

**Storage and disposal of PABRON
COUGH & SINUS**

-Storage

Store below 30°C.
Keep out of reach of children.

-Disposal

Dispose the medicine after the expiry date.

Consult your pharmacist on how to safely dispose of any medicines no longer required.

Medicines should not be disposed of via wastewater or household waste. These measures will help to protect the environment.

Product description

-What it looks like

PABRON COUGH & SINUS is a dark brown syrup with herbal flavor, available in amber PET bottle of 120ml pack size.

-Ingredients

-Active ingredient:

Each 5ml syrup contains:-

- Triprolidine hydrochloride (HCl) 1.25mg
- Pseudoephedrine hydrochloride (HCl) 30mg
- Guaiphenesin 100mg

-Inactive ingredients:

Propylene Glycol, Sodium Benzoate, Sorbitol Solution 70%, Herbal Flavor, Liquid Caramel, Menthol, Saccharin Sodium & Purified Water.

-MAL number: MAL05101679ACZ

Manufacturer

Xepa-Soul Pattinson (M) Sdn Bhd
1-5 Cheng Industrial Estate
75250 Melaka, Malaysia.

Product Registration Holder

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohd. 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Date of revision

30/08/2017

Serial Number:

NPRA(R4/1)300817/00241